


EXHIBIT A

**ADVANCED ANALYTICS LABORATORIES, INC.**

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
 5960 Wilcox Place
 Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04

ANALYTICAL RESULTS


Client Sample I.D.: Spigot - outside
AAI Sample I.D.: 0404080-04 (Water)

Reporting					
Analyte	Result	Units	Limit	Method	Notes
524.2 SDWA Volatiles					
Date Collected: 4/16/04		Date Analyzed: 4/22/04			
1,1,1,2-Tetrachloroethane	ND	ug/l	0.5	EPA 524.2	
1,1,1-Trichloroethane	ND	ug/l	0.5	EPA 524.2	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.5	EPA 524.2	
1,1,2-Trichloroethane	ND	ug/l	0.5	EPA 524.2	
1,1-Dichloroethane	ND	ug/l	0.5	EPA 524.2	
1,1-Dichloroethene	ND	ug/l	0.5	EPA 524.2	
1,2,3-Trichloropropane	ND	ug/l	0.5	EPA 524.2	
1,2,4-Trimethylbenzene	ND	ug/l	0.5	EPA 524.2	
Methylene chloride	ND	ug/l	0.5	EPA 524.2	
1,2-Dichlorobenzene	ND	ug/l	0.5	EPA 524.2	
1,2-Dichloroethane	ND	ug/l	0.5	EPA 524.2	
1,2-Dichloropropane	ND	ug/l	0.5	EPA 524.2	
1,3,5-Trimethylbenzene	ND	ug/l	0.5	EPA 524.2	
1,3-Dichlorobenzene	ND	ug/l	0.5	EPA 524.2	
1,4-Dichlorobenzene	ND	ug/l	0.5	EPA 524.2	
Benzene	ND	ug/l	0.5	EPA 524.2	
Bromochloromethane	ND	ug/l	0.5	EPA 524.2	
Bromodichloromethane	ND	ug/l	0.5	EPA 524.2	
Bromoform	ND	ug/l	0.5	EPA 524.2	
Bromomethane	ND	ug/l	0.5	EPA 524.2	
Chloroethane	ND	ug/l	0.5	EPA 524.2	
Chloroform	ND	ug/l	0.5	EPA 524.2	
Chloromethane	ND	ug/l	0.5	EPA 524.2	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04

ANALYTICAL RESULTS

Client Sample I.D.: Spigot - outside
AALI Sample I.D.: 0404080-04 (Water)

Analyte	Result	Units	Reporting		Notes
			Limit	Method	
Ethylbenzene	ND	ug/l	0.5	EPA 524.2	
Naphthalene	ND	ug/l	0.5	EPA 524.2	
Styrene	ND	ug/l	0.5	EPA 524.2	
tert-Butylbenzene	ND	ug/l	0.5	EPA 524.2	
Tetrachloroethene	ND	ug/l	0.5	EPA 524.2	
Toluene	ND	ug/l	0.5	EPA 524.2	
trans-1,3-Dichloropropene	ND	ug/l	0.5	EPA 524.2	
Trichloroethene	0.8	ug/l	0.5	EPA 524.2	
Trichlorofluoromethane	ND	ug/l	0.5	EPA 524.2	
Carbon tetrachloride	ND	ug/l	0.5	EPA 524.2	
Chlorobenzene	ND	ug/l	0.5	EPA 524.2	
cis-1,2-Dichloroethene	7.2	ug/l	0.5	EPA 524.2	
cis-1,3-Dichloropropene	ND	ug/l	0.5	EPA 524.2	
Dibromochloromethane	ND	ug/l	0.5	EPA 524.2	
Dibromomethane	ND	ug/l	0.5	EPA 524.2	
Vinyl chloride	ND	ug/l	0.5	EPA 524.2	
1,2,3-Trichlorobenzene	ND	ug/l	0.5	EPA 524.2	
2-Chlorotoluene	ND	ug/l	0.5	EPA 524.2	
4-Chlorotoluene	ND	ug/l	0.5	EPA 524.2	
trans-1,2-Dichloroethene	ND	ug/l	0.5	EPA 524.2	
Xylenes (total)	ND	ug/l	1.0	EPA 524.2	
2,2-Dichloropropane	ND	ug/l	0.5	EPA 524.2	
Dichlorodifluoromethane	ND	ug/l	0.5	EPA 524.2	
1,1-Dichloropropene	ND	ug/l	0.5	EPA 524.2	
1,3-Dichloropropane	ND	ug/l	0.5	EPA 524.2	
Isopropylbenzene	ND	ug/l	0.5	EPA 524.2	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety

L. Eve Kamitis

L. Eve Kamitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04

ANALYTICAL RESULTS

Client Sample I.D.: Spigot - outside
AALI Sample I.D.: 0404080-04 (Water)


Analyte	Result	Units	Reporting		Notes
			Limit	Method	
Bromobenzene	ND	ug/l	0.5	EPA 524.2	
n-Butylbenzene	ND	ug/l	0.5	EPA 524.2	
Hexachlorobutadiene	ND	ug/l	0.5	EPA 524.2	
n-Propylbenzene	ND	ug/l	0.5	EPA 524.2	
p-Isopropyltoluene	ND	ug/l	0.5	EPA 524.2	
sec-Butylbenzene	ND	ug/l	0.5	EPA 524.2	
1,2,4-Trichlorobenzene	ND	ug/l	0.5	EPA 524.2	
Surrogate: 4-Bromofluorobenzene	98 %		80-120		
Surrogate: 1,2-Dichlorobenzene-d4	90 %		80-120		

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

L. Eve Karnitis

L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04

ANALYTICAL RESULTS

Client Sample I.D.: Drinking water - Sink
AALJ Sample I.D.: 0404080-05 (Water)


AAIT Sample ID: 0404080-05 (water)		Reporting			
Analyte	Result	Units	Limit	Method	Notes
524.2 SDWA Volatiles					
Date Collected: 4/16/04		Date Analyzed: 4/22/04			
1,1,1,2-Tetrachloroethane	ND	ug/l	0.5	EPA 524.2	
1,1,1-Trichloroethane	ND	ug/l	0.5	EPA 524.2	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.5	EPA 524.2	
1,1,2-Trichloroethane	ND	ug/l	0.5	EPA 524.2	
1,1-Dichloroethane	ND	ug/l	0.5	EPA 524.2	
1,1-Dichloroethene	ND	ug/l	0.5	EPA 524.2	
1,2,3-Trichloropropane	ND	ug/l	0.5	EPA 524.2	
1,2,4-Trimethylbenzene	ND	ug/l	0.5	EPA 524.2	
Methylene chloride	ND	ug/l	0.5	EPA 524.2	
1,2-Dichlorobenzene	ND	ug/l	0.5	EPA 524.2	
1,2-Dichloroethane	ND	ug/l	0.5	EPA 524.2	
1,2-Dichloropropane	ND	ug/l	0.5	EPA 524.2	
1,3,5-Trimethylbenzene	ND	ug/l	0.5	EPA 524.2	
1,3-Dichlorobenzene	ND	ug/l	0.5	EPA 524.2	
1,4-Dichlorobenzene	ND	ug/l	0.5	EPA 524.2	
Benzene	ND	ug/l	0.5	EPA 524.2	
Bromochloromethane	ND	ug/l	0.5	EPA 524.2	
Bromodichloromethane	ND	ug/l	0.5	EPA 524.2	
Bromoform	ND	ug/l	0.5	EPA 524.2	
Bromomethane	ND	ug/l	0.5	EPA 524.2	
Chloroethane	ND	ug/l	0.5	EPA 524.2	
Chloroform	ND	ug/l	0.5	EPA 524.2	
Chloromethane	ND	ug/l	0.5	EPA 524.2	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

L. Eve Karnitis

L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04

ANALYTICAL RESULTS

Client Sample I.D.: Drinking water - Sink
AALI Sample I.D.: 0404080-05 (Water)

Analyte	Result	Units	Reporting		Notes
			Limit	Method	
Ethylbenzene	ND	ug/l	0.5	EPA 524.2	
Naphthalene	ND	ug/l	0.5	EPA 524.2	
Styrene	ND	ug/l	0.5	EPA 524.2	
tert-Butylbenzene	ND	ug/l	0.5	EPA 524.2	
Tetrachloroethene	ND	ug/l	0.5	EPA 524.2	
Toluene	ND	ug/l	0.5	EPA 524.2	
trans-1,3-Dichloropropene	ND	ug/l	0.5	EPA 524.2	
Trichloroethene	0.8	ug/l	0.5	EPA 524.2	
Trichlorofluoromethane	ND	ug/l	0.5	EPA 524.2	
Carbon tetrachloride	ND	ug/l	0.5	EPA 524.2	
Chlorobenzene	ND	ug/l	0.5	EPA 524.2	
cis-1,2-Dichloroethene	8.0	ug/l	0.5	EPA 524.2	
cis-1,3-Dichloropropene	ND	ug/l	0.5	EPA 524.2	
Dibromochloromethane	ND	ug/l	0.5	EPA 524.2	
Dibromomethane	ND	ug/l	0.5	EPA 524.2	
Vinyl chloride	ND	ug/l	0.5	EPA 524.2	
1,2,3-Trichlorobenzene	ND	ug/l	0.5	EPA 524.2	
2-Chlorotoluene	ND	ug/l	0.5	EPA 524.2	
4-Chlorotoluene	ND	ug/l	0.5	EPA 524.2	
trans-1,2-Dichloroethene	ND	ug/l	0.5	EPA 524.2	
Xylenes (total)	ND	ug/l	1.0	EPA 524.2	
2,2-Dichloropropane	ND	ug/l	0.5	EPA 524.2	
Dichlorodifluoromethane	ND	ug/l	0.5	EPA 524.2	
1,1-Dichloropropene	ND	ug/l	0.5	EPA 524.2	
1,3-Dichloropropane	ND	ug/l	0.5	EPA 524.2	
Isopropylbenzene	ND	ug/l	0.5	EPA 524.2	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety

L. Eve Karnitis

L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04

ANALYTICAL RESULTS

Client Sample I.D.: Drinking water - Sink
AALI Sample I.D.: 0404080-05 (Water)


Analyte	Result	Units	Reporting		Notes
			Limit	Method	
Bromobenzene	ND	ug/l	0.5	EPA 524.2	
n-Butylbenzene	ND	ug/l	0.5	EPA 524.2	
Hexachlorobutadiene	ND	ug/l	0.5	EPA 524.2	
n-Propylbenzene	ND	ug/l	0.5	EPA 524.2	
p-Isopropyltoluene	ND	ug/l	0.5	EPA 524.2	
sec-Butylbenzene	ND	ug/l	0.5	EPA 524.2	
1,2,4-Trichlorobenzene	ND	ug/l	0.5	EPA 524.2	
Surrogate: 4-Bromofluorobenzene	98 %		80-120		
Surrogate: 1,2-Dichlorobenzene-d4	86 %		80-120		

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

L. Eve Karnitis

L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04

ANALYTICAL RESULTS

Client Sample I.D.: Drinking water - Pitcher

AALI Sample I.D.: 0404080-06 (Water)


			Reporting		
Analyte	Result	Units	Limit	Method	Notes
<hr/>					
524.2 SDWA Volatiles	Date Collected: 4/16/04	Date Analyzed: 4/22/04			
<hr/>					
1,1,1,2-Tetrachloroethane	ND	ug/l	0.5	EPA 524.2	
1,1,1-Trichloroethane	ND	ug/l	0.5	EPA 524.2	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.5	EPA 524.2	
1,1,2-Trichloroethane	ND	ug/l	0.5	EPA 524.2	
1,1-Dichloroethane	ND	ug/l	0.5	EPA 524.2	
1,1-Dichloroethene	ND	ug/l	0.5	EPA 524.2	
1,2,3-Trichloropropane	ND	ug/l	0.5	EPA 524.2	
1,2,4-Trimethylbenzene	ND	ug/l	0.5	EPA 524.2	
Methylene chloride	ND	ug/l	0.5	EPA 524.2	
1,2-Dichlorobenzene	ND	ug/l	0.5	EPA 524.2	
1,2-Dichloroethane	ND	ug/l	0.5	EPA 524.2	
1,2-Dichloropropane	ND	ug/l	0.5	EPA 524.2	
1,3,5-Trimethylbenzene	ND	ug/l	0.5	EPA 524.2	
1,3-Dichlorobenzene	ND	ug/l	0.5	EPA 524.2	
1,4-Dichlorobenzene	ND	ug/l	0.5	EPA 524.2	
Benzene	ND	ug/l	0.5	EPA 524.2	
Bromochloromethane	ND	ug/l	0.5	EPA 524.2	
Bromodichloromethane	ND	ug/l	0.5	EPA 524.2	
Bromoform	ND	ug/l	0.5	EPA 524.2	
Bromomethane	ND	ug/l	0.5	EPA 524.2	
Chloroethane	ND	ug/l	0.5	EPA 524.2	
Chloroform	ND	ug/l	0.5	EPA 524.2	
Chloromethane	ND	ug/l	0.5	EPA 524.2	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

L. Eve Karnitis

L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04

ANALYTICAL RESULTS

Client Sample I.D.: Drinking water - Pitcher
AALI Sample I.D.: 0404080-06 (Water)


Analyte	Result	Units	Reporting		Notes
			Limit	Method	
Ethylbenzene	ND	ug/l	0.5	EPA 524.2	
Naphthalene	ND	ug/l	0.5	EPA 524.2	
Styrene	ND	ug/l	0.5	EPA 524.2	
tert-Butylbenzene	ND	ug/l	0.5	EPA 524.2	
Tetrachloroethene	ND	ug/l	0.5	EPA 524.2	
Toluene	ND	ug/l	0.5	EPA 524.2	
trans-1,3-Dichloropropene	ND	ug/l	0.5	EPA 524.2	
Trichloroethene	ND	ug/l	0.5	EPA 524.2	
Trichlorofluoromethane	ND	ug/l	0.5	EPA 524.2	
Carbon tetrachloride	ND	ug/l	0.5	EPA 524.2	
Chlorobenzene	ND	ug/l	0.5	EPA 524.2	
cis-1,2-Dichloroethene	ND	ug/l	0.5	EPA 524.2	
cis-1,3-Dichloropropene	ND	ug/l	0.5	EPA 524.2	
Dibromochloromethane	ND	ug/l	0.5	EPA 524.2	
Dibromomethane	ND	ug/l	0.5	EPA 524.2	
Vinyl chloride	ND	ug/l	0.5	EPA 524.2	
1,2,3-Trichlorobenzene	ND	ug/l	0.5	EPA 524.2	
2-Chlorotoluene	ND	ug/l	0.5	EPA 524.2	
4-Chlorotoluene	ND	ug/l	0.5	EPA 524.2	
trans-1,2-Dichloroethene	ND	ug/l	0.5	EPA 524.2	
Xylenes (total)	ND	ug/l	1.0	EPA 524.2	
2,2-Dichloropropane	ND	ug/l	0.5	EPA 524.2	
Dichlorodifluoromethane	ND	ug/l	0.5	EPA 524.2	
1,1-Dichloropropene	ND	ug/l	0.5	EPA 524.2	
1,3-Dichloropropane	ND	ug/l	0.5	EPA 524.2	
Isopropylbenzene	ND	ug/l	0.5	EPA 524.2	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

L. Eve Karnitis

L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04

ANALYTICAL RESULTS

Client Sample I.D.: Drinking water - Pitcher

AAIJ Sample I.D.: 0404080-06 (Water)

Analyte	Result	Units	Reporting		Notes
			Limit	Method	
Bromobenzene	ND	ug/l	0.5	EPA 524.2	
n-Butylbenzene	ND	ug/l	0.5	EPA 524.2	
Hexachlorobutadiene	ND	ug/l	0.5	EPA 524.2	
n-Propylbenzene	ND	ug/l	0.5	EPA 524.2	
p-Isopropyltoluene	ND	ug/l	0.5	EPA 524.2	
sec-Butylbenzene	ND	ug/l	0.5	EPA 524.2	
1,2,4-Trichlorobenzene	ND	ug/l	0.5	EPA 524.2	
Surrogate: 4-Bromofluorobenzene	104 %		80-120		
Surrogate: 1,2-Dichlorobenzene-d4	98 %		80-120		

Notes and Definitions


DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/26/04

ANALYTICAL RESULTS

Client Sample I.D.: Stream - Incoming
AALI Sample I.D.: 0404080-01 (Water)

Reporting


Analyte	Result	Units	Limit	Method	Notes
8270 Acid Fraction	Date Collected: 4/16/04	Date Analyzed: 4/21/04			
Phenol	ND	mg/L	0.01	EPA 8270B	
2-Chlorophenol	ND	mg/L	0.01	EPA 8270B	
2-Methylphenol	ND	mg/L	0.01	EPA 8270B	
3 & 4-Methylphenol	ND	mg/L	0.01	EPA 8270B	
2-Nitrophenol	ND	mg/L	0.01	EPA 8270B	
2,4-Dimethylphenol	ND	mg/L	0.01	EPA 8270B	
2,4-Dichlorophenol	ND	mg/L	0.01	EPA 8270B	
2,6-Dichlorophenol	ND	mg/L	0.01	EPA 8270B	
4-Chloro-3-methylphenol	ND	mg/L	0.02	EPA 8270B	
2,4,5-Trichlorophenol	ND	mg/L	0.01	EPA 8270B	
2,4,6-Trichlorophenol	ND	mg/L	0.01	EPA 8270B	
2,4-Dinitrophenol	ND	mg/L	0.05	EPA 8270B	
4-Nitrophenol	ND	mg/L	0.05	EPA 8270B	
2,3,4,6-Tetrachlorophenol	ND	mg/L	0.01	EPA 8270B	
4,6-Dinitro-2-methylphenol	ND	mg/L	0.05	EPA 8270B	
Pentachlorophenol	ND	mg/L	0.05	EPA 8270B	
2-sec-Butyl-4,6-dinitrophenol	ND	mg/L	0.02	EPA 8270B	
Surrogate: 2,4,6-Tribromophenol	56 %	10-123			
Surrogate: 2-Fluorophenol	24 %	21-100			
Surrogate: Phenol-d6	19 %	10-94			

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety

L. Eve Karnitis

L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/26/04

ANALYTICAL RESULTS

Client Sample I.D.: Stream - Outgoing
AALI Sample I.D.: 0404080-03 (Water)

Analyte	Result	Units	Reporting		Notes
			Limit	Method	
8270 Acid Fraction	Date Collected: 4/16/04	Date Analyzed: 4/21/04			
Phenol	ND	mg/L	0.01	EPA 8270B	
2-Chlorophenol	ND	mg/L	0.01	EPA 8270B	
2-Methylphenol	ND	mg/L	0.01	EPA 8270B	
3 & 4-Methylphenol	ND	mg/L	0.01	EPA 8270B	
2-Nitrophenol	ND	mg/L	0.01	EPA 8270B	
2,4-Dimethylphenol	ND	mg/L	0.01	EPA 8270B	
2,4-Dichlorophenol	ND	mg/L	0.01	EPA 8270B	
2,6-Dichlorophenol	ND	mg/L	0.01	EPA 8270B	
4-Chloro-3-methylphenol	ND	mg/L	0.02	EPA 8270B	
2,4,5-Trichlorophenol	ND	mg/L	0.01	EPA 8270B	
2,4,6-Trichlorophenol	ND	mg/L	0.01	EPA 8270B	
2,4-Dinitrophenol	ND	mg/L	0.05	EPA 8270B	
4-Nitrophenol	ND	mg/L	0.05	EPA 8270B	
2,3,4,6-Tetrachlorophenol	ND	mg/L	0.01	EPA 8270B	
4,6-Dinitro-2-methylphenol	ND	mg/L	0.05	EPA 8270B	
Pentachlorophenol	ND	mg/L	0.05	EPA 8270B	
2-sec-Butyl-4,6-dinitrophenol	ND	mg/L	0.02	EPA 8270B	
Surrogate: 2,4,6-Tribromophenol	87 %	10-123			
Surrogate: 2-Fluorophenol	28 %	21-100			
Surrogate: Phenol-d6	19 %	10-94			

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

L. Eve Karnitis
L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/26/04


Notes and Definitions

DET Analyte DETECTED


ND Analyte NOT DETECTED at or above the reporting limit

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety



L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/26/04

ANALYTICAL RESULTS

Client Sample I.D.: Stream - Incoming
AALI Sample I.D.: 0404080-01 (Water)


AAEL Sample 1.D.:		040-R000-01 (Water)		Reporting	
Analyte	Result	Units	Limit	Method	Notes
8270 Base Neutral					
Date Collected: 4/16/04		Date Analyzed: 4/21/04			
Acenaphthene	ND	mg/L	0.01	EPA 8270B	
Acenaphthylene	ND	mg/L	0.01	EPA 8270B	
Anthracene	ND	mg/L	0.01	EPA 8270B	
Benzo (a) anthracene	ND	mg/l	0.01	EPA 8270B	
Benzo (b) fluoranthene	ND	mg/L	0.01	EPA 8270B	
Benzo (k) fluoranthene	ND	mg/L	0.01	EPA 8270B	
Benzo (g,h,i) perylene	ND	mg/L	0.01	EPA 8270B	
Benzo (a) pyrene	ND	mg/L	0.01	EPA 8270B	
Bis(2-chloroethoxy)methane	ND	mg/L	0.01	EPA 8270B	
Bis(2-chloroethyl)ether	ND	mg/L	0.01	EPA 8270B	
Bis(2-chloroisopropyl)ether	ND	mg/L	0.01	EPA 8270B	
Bis(2-ethylhexyl)phthalate	ND	mg/L	0.01	EPA 8270B	
4-Bromophenyl phenyl ether	ND	mg/L	0.01	EPA 8270B	
Butyl benzyl phthalate	ND	mg/L	0.01	EPA 8270B	
2-Chloronaphthalene	ND	mg/L	0.01	EPA 8270B	
4-Chlorophenyl phenyl ether	ND	mg/L	0.01	EPA 8270B	
Chrysene	ND	mg/L	0.01	EPA 8270B	
Dibenz (a,h) anthracene	ND	mg/L	0.01	EPA 8270B	
Di-n-butyl phthalate	ND	mg/L	0.01	EPA 8270B	
1,2-Dichlorobenzene	ND	mg/L	0.01	EPA 8270B	
1,3-Dichlorobenzene	ND	mg/L	0.01	EPA 8270B	
1,4-Dichlorobenzene	ND	mg/L	0.01	EPA 8270B	
3,3'-Dichlorobenzidine	ND	mg/L	0.02	EPA 8270B	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

L. Eve Karnitis

L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/26/04


ANALYTICAL RESULTS

Client Sample I.D.: Stream - Incoming
AALI Sample I.D.: 0404080-01 (Water)

Analyte	Result	Units	Reporting		Notes
			Limit	Method	
Benzidine	ND	mg/L	0.05	EPA 8270B	
N-Nitrosodimethylamine	ND	mg/L	0.01	EPA 8270B	
1,2-Diphenylhydrazine	ND	mg/L	0.01	EPA 8270B	
Diethyl phthalate	ND	mg/L	0.01	EPA 8270B	
Dimethyl phthalate	ND	mg/L	0.01	EPA 8270B	
2,4-Dinitrotoluene	ND	mg/L	0.01	EPA 8270B	
2,6-Dinitrotoluene	ND	mg/L	0.01	EPA 8270B	
Di-n-octyl phthalate	ND	mg/L	0.01	EPA 8270B	
Fluoranthene	ND	mg/L	0.01	EPA 8270B	
Fluorene	ND	mg/L	0.01	EPA 8270B	
Hexachlorobenzene	ND	mg/L	0.01	EPA 8270B	
Hexachlorobutadiene	ND	mg/L	0.01	EPA 8270B	
Hexachlorocyclopentadiene	ND	mg/L	0.01	EPA 8270B	
Hexachloroethane	ND	mg/L	0.01	EPA 8270B	
Indeno (1,2,3-cd) pyrene	ND	mg/L	0.01	EPA 8270B	
Isophorone	ND	mg/L	0.01	EPA 8270B	
Naphthalene	ND	mg/L	0.01	EPA 8270B	
Nitrobenzene	ND	mg/L	0.01	EPA 8270B	
N-Nitrosodiphenylamine	ND	mg/L	0.01	EPA 8270B	
N-Nitrosodi-n-propylamine	ND	mg/L	0.01	EPA 8270B	
Phenanthrene	ND	mg/L	0.01	EPA 8270B	
Pyrene	ND	mg/L	0.01	EPA 8270B	
1,2,4-Trichlorobenzene	ND	mg/L	0.01	EPA 8270B	
Surrogate: Nitrobenzene-d5	95 %		35-114		
Surrogate: 2-Fluorobiphenyl	75 %		43-116		

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


L. Eve Kamitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/26/04


ANALYTICAL RESULTS


Client Sample ID.: Stream - Incoming
AALI Sample ID.: 0404080-01 (Water)

Analyte	Result	Units	Reporting		Notes
			Limit	Method	
Surrogate: Terphenyl-d14	100 %		33-141		

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/26/04

ANALYTICAL RESULTS

Client Sample I.D.: Stream - Outgoing

AALI Sample I.D.: 0404080-03 (Water)

Reporting


Analyte	Result	Units	Limit	Method	Notes
8270 Base Neutral					
		Date Collected: 4/16/04	Date Analyzed: 4/21/04		
Acenaphthene	ND	mg/L	0.01	EPA 8270B	
Acenaphthylene	ND	mg/L	0.01	EPA 8270B	
Anthracene	ND	mg/L	0.01	EPA 8270B	
Benzo (a) anthracene	ND	mg/L	0.01	EPA 8270B	
Benzo (b) fluoranthene	ND	mg/L	0.01	EPA 8270B	
Benzo (k) fluoranthene	ND	mg/L	0.01	EPA 8270B	
Benzo (g,h,i) perylene	ND	mg/L	0.01	EPA 8270B	
Benzo (a) pyrene	ND	mg/L	0.01	EPA 8270B	
Bis(2-chlorooctoxy)methane	ND	mg/L	0.01	EPA 8270B	
Bis(2-chloroethyl)ether	ND	mg/L	0.01	EPA 8270B	
Bis(2-chloroisopropyl)ether	ND	mg/L	0.01	EPA 8270B	
Bis(2-ethylhexyl)phthalate	ND	mg/L	0.01	EPA 8270B	
4-Bromophenyl phenyl ether	ND	mg/L	0.01	EPA 8270B	
Butyl benzyl phthalate	ND	mg/L	0.01	EPA 8270B	
2-Chloronaphthalene	ND	mg/L	0.01	EPA 8270B	
4-Chlorophenyl phenyl ether	ND	mg/L	0.01	EPA 8270B	
Chrysene	ND	mg/L	0.01	EPA 8270B	
Dibenz (a,h) anthracene	ND	mg/L	0.01	EPA 8270B	
Di-n-butyl phthalate	ND	mg/L	0.01	EPA 8270B	
1,2-Dichlorobenzene	ND	mg/L	0.01	EPA 8270B	
1,3-Dichlorobenzene	ND	mg/L	0.01	EPA 8270B	
1,4-Dichlorobenzene	ND	mg/L	0.01	EPA 8270B	
3,3'-Dichlorobenzidine	ND	mg/L	0.02	EPA 8270B	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety

L. Eve Karnitis

L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/26/04

ANALYTICAL RESULTS

Client Sample I.D.: Stream - Outgoing
AALI Sample I.D.: 0404080-03 (Water)

Analyte	Result	Units	Reporting		Notes
			Limit	Method	
Benzidine	ND	mg/L	0.05	EPA 8270B	
N-Nitrosodimethylamine	ND	mg/L	0.01	EPA 8270B	
1,2-Diphenylhydrazine	ND	mg/l.	0.01	EPA 8270B	
Diethyl phthalate	ND	mg/l	0.01	EPA 8270B	
Dimethyl phthalate	ND	mg/L	0.01	EPA 8270B	
2,4-Dinitrotoluene	ND	mg/L	0.01	EPA 8270B	
2,6-Dinitrotoluene	ND	mg/l.	0.01	EPA 8270B	
Di-n-octyl phthalate	ND	mg/l	0.01	EPA 8270B	
Fluoranthene	ND	mg/l.	0.01	EPA 8270B	
Fluorene	ND	mg/L	0.01	EPA 8270B	
Hexachlorobenzene	ND	mg/L	0.01	EPA 8270B	
Hexachlorobutadiene	ND	mg/L	0.01	EPA 8270B	
Hexachlorocyclopentadiene	ND	mg/L	0.01	EPA 8270B	
Hexachloroethane	ND	mg/l.	0.01	EPA 8270B	
Indeno (1,2,3-cd) pyrene	ND	mg/l	0.01	EPA 8270B	
Isophorone	ND	mg/l.	0.01	EPA 8270B	
Naphthalene	ND	mg/L	0.01	EPA 8270B	
Nitrobenzene	ND	mg/L	0.01	EPA 8270B	
N-Nitrosodiphenylamine	ND	mg/L	0.01	EPA 8270B	
N-Nitrosodi-n-propylamine	ND	mg/L	0.01	EPA 8270B	
Phenanthrene	ND	mg/L	0.01	EPA 8270B	
Pyrene	ND	mg/l	0.01	EPA 8270B	
1,2,4-Trichlorobenzene	ND	mg/L	0.01	EPA 8270B	
Surrogate: Nitrobenzene-d5	82 %		35-114		
Surrogate: 2-Fluorobiphenyl	64 %		43-116		

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety

L. Eve Karnitis
L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/26/04

ANALYTICAL RESULTS

Client Sample I.D.: Stream - Outgoing
AALI Sample I.D.: 0404080-03 (Water)

Analyte	Result	Units	Reporting		Notes
			Limit	Method	
Surrogate: Terphenyl-d14	87 %	33-141			

Notes and Definitions

DEI Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin OH, 43016

Date Reported: 4/29/04

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

ANALYTICAL RESULTS

Client Sample I.D.: Stream - Incoming
AALI Sample I.D.: 0404080-01 (Water)


Date Collected: 4/16/04
Date Received: 4/19/04

Analyte	Result	Units	Reporting Limit	Prepared	Analyzed	Method	Notes
Metals by EPA 200 Series Methods							
Silver	ND	mg/L	0.02	4/22/04	4/28/04	EPA 272.1	
Arsenic	ND	mg/L	0.003	4/22/04	4/26/04	EPA 206.2	
Barium	ND	mg/L	0.18	4/20/04	4/21/04	EPA 208.1	
Cadmium	ND	mg/L	0.010	4/20/04	4/21/04	EPA 213.1	
Chromium	0.010	mg/L	0.001	4/20/04	4/21/04	EPA 218.2	BS-I.O
Mercury	ND	mg/L	0.00020	4/20/04	4/21/04	EPA 245.1	
Lead	ND	mg/L	0.005	4/20/04	4/21/04	EPA 239.2	BS-LO
Selenium	ND	mg/L	0.005	4/22/04	4/26/04	EPA 270.2	QM-07

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin OH, 43016

Date Reported: 4/29/04

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

ANALYTICAL RESULTS

Client Sample I.D.: Stream - Outgoing
AALI Sample I.D.: 0404080-03 (Water)

Date Collected: 4/16/04
Date Received: 4/19/04

Analyte	Result	Units	Reporting	Prepared	Analyzed	Method	Notes
			Limit				
Metals by EPA 200 Series Methods							
Silver	ND	mg/L	0.02	4/22/04	4/28/04	EPA 272.1	
Arsenic	ND	mg/L	0.003	4/22/04	4/26/04	EPA 206.2	
Barium	ND	mg/L	0.18	4/20/04	4/21/04	EPA 208.1	
Cadmium	ND	mg/L	0.010	4/20/04	4/21/04	EPA 213.1	
Chromium	ND	mg/L	0.001	4/20/04	4/21/04	EPA 218.2	BS-LO
Mercury	ND	mg/L	0.00020	4/20/04	4/21/04	EPA 245.1	
Lead	ND	mg/L	0.005	4/20/04	4/21/04	EPA 239.2	BS-LO
Selenium	ND	mg/L	0.005	4/22/04	4/26/04	EPA 270.2	QM-07

Notes and Definitions

BS-LO The blank spike was outside the method limits, but within the Lab's statistical control limits


QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.


DEI Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety


L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04


ANALYTICAL RESULTS

Client Sample I.D.: Stream - Incoming
AALI Sample I.D.: 0404080-01 (Water)

Analyte		Result	Units	Limit	Method	Notes
8260 VOC by GCMS		Date Collected: 4/16/04	Date Analyzed: 4/22/04			
1,1,1,2-Tetrachloroethane		ND	ug/l	2.00	EPA 8260	
1,1,1-Trichloroethane		ND	ug/l	2.00	EPA 8260	
1,1,2,2-Tetrachloroethane		ND	ug/l	2.00	EPA 8260	
1,1,2-Trichloroethane		ND	ug/l	2.00	EPA 8260	
1,1-Dichloroethane		ND	ug/l	2.00	EPA 8260	
1,1-Dichloroethene		ND	ug/l	2.00	EPA 8260	
1,2,3-Trichloropropane		ND	ug/l	2.00	EPA 8260	
1,2,4-Trimethylbenzene		ND	ug/l	2.00	EPA 8260	
1,2-Dibromo-3-chloropropane		ND	ug/l	5.00	EPA 8260	
1,2-Dibromoethane (EDB)		ND	ug/l	2.00	EPA 8260	
1,2-Dichlorobenzene		ND	ug/l	2.00	EPA 8260	
trans-1,2-Dichloroethene		ND	ug/l	2.00	EPA 8260	
1,2-Dichloroethane		ND	ug/l	2.00	EPA 8260	
1,2-Dichloropropane		ND	ug/l	2.00	EPA 8260	
1,3,5-Trimethylbenzene		ND	ug/l	2.00	EPA 8260	
1,3-Dichlorobenzene		ND	ug/l	2.00	EPA 8260	
1,4-Dichlorobenzene		ND	ug/l	2.00	EPA 8260	
Acetone		ND	ug/l	10.0	EPA 8260	
Benzene		ND	ug/l	2.00	EPA 8260	
Bromochloromethane		ND	ug/l	2.00	EPA 8260	
Bromodichloromethane		ND	ug/l	2.00	EPA 8260	
Bromoform		ND	ug/l	2.00	EPA 8260	
1,1-Dichloropropene		ND	ug/l	2.00	EPA 8260	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04

ANALYTICAL RESULTS


Client Sample I.D.: Stream - Incoming
AAI Sample I.D.: 0404080-01 (Water)

Analyte	Result	Units	Reporting		Notes
			Limit	Method	
Bromomethane	ND	ug/l	5.00	EPA 8260	
Chloroethane	ND	ug/l	2.00	EPA 8260	
Chloroform	ND	ug/l	2.00	EPA 8260	
Chloromethane	ND	ug/l	2.00	EPA 8260	
Ethylbenzene	ND	ug/l	2.00	EPA 8260	
Methyl ethyl ketone	ND	ug/l	10.0	EPA 8260	
Methylene chloride	ND	ug/l	5.00	EPA 8260	
Naphthalene	ND	ug/l	5.00	EPA 8260	
Styrene	ND	ug/l	2.00	EPA 8260	
tert-Butylbenzene	ND	ug/l	2.00	EPA 8260	
Tetrachloroethene	ND	ug/l	2.00	EPA 8260	
Toluene	ND	ug/l	2.00	EPA 8260	
trans-1,3-Dichloropropene	ND	ug/l	2.00	EPA 8260	
trans-1,4-Dichloro-2-butene	ND	ug/l	2.00	EPA 8260	
Trichloroethene	ND	ug/l	2.00	EPA 8260	
Trichlorofluoromethane	ND	ug/l	2.00	EPA 8260	
Xylenes (total)	ND	ug/l	2.00	EPA 8260	
2-Hexanone	ND	ug/l	5.00	EPA 8260	
2-Chloroethylvinyl ether	ND	ug/l	10.0	EPA 8260	
Carbon disulfide	ND	ug/l	2.00	EPA 8260	
Carbon tetrachloride	ND	ug/l	2.00	EPA 8260	
1,3-Dichloropropane	ND	ug/l	2.00	EPA 8260	
Chlorobenzene	ND	ug/l	2.00	EPA 8260	
cis-1,2-Dichloroethene	ND	ug/l	2.00	EPA 8260	
cis-1,3-Dichloropropene	ND	ug/l	2.00	EPA 8260	
Dibromochloromethane	ND	ug/l	2.00	EPA 8260	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04

Date Reported: 4/29/04

ANALYTICAL RESULTS


Client Sample I.D.: Stream - Incoming
AALI Sample I.D.: 0404080-01 (Water)

Analyte	Result	Units	Reporting		Notes
			Limit	Method	
Dibromomethane	ND	ug/l	2.00	EPA 8260	
Vinyl acetate	ND	ug/l	10.0	EPA 8260	
Vinyl chloride	ND	ug/l	2.00	EPA 8260	
2-Chlorotoluene	ND	ug/l	2.00	EPA 8260	
4-Chlorotoluene	ND	ug/l	2.00	EPA 8260	
4-Methyl-2-pentanone	ND	ug/l	5.00	EPA 8260	
Acrolein	ND	ug/l	100	EPA 8260	
Bromobenzene	ND	ug/l	2.00	EPA 8260	
Acrylonitrile	ND	ug/l	10.0	EPA 8260	
Dichlorodifluoromethane	ND	ug/l	2.00	EPA 8260	
Iodomethane	ND	ug/l	5.00	EPA 8260	
Isopropylbenzene	ND	ug/l	2.00	EPA 8260	
Methyl tert-butyl ether	ND	ug/l	5.00	EPA 8260	
n-Butylbenzene	ND	ug/l	2.00	EPA 8260	
n-Propylbenzene	ND	ug/l	2.00	EPA 8260	
p-Isopropyltoluene	ND	ug/l	2.00	EPA 8260	
sec-Butylbenzene	ND	ug/l	2.00	EPA 8260	
1,2,3-Trichlorobenzene	ND	ug/l	5.00	EPA 8260	
Surrogate 1,2-Dichloroethane-d4	97 %		80-120		
Surrogate Toluene-d8	101 %		80-120		
Surrogate 4-Bromofluorobenzene	97 %		80-120		

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04

ANALYTICAL RESULTS

Client Sample I.D.: Tile
AALI Sample I.D.: 0404080-02 (Water)

XALI Sample ID: 0404080-02 (water)		Reporting			
Analyte	Result	Units	Limit	Method	Notes
<hr/>					
8260 VOC by GCMS	Date Collected: 4/16/04	Date Analyzed: 4/22/04			
<hr/>					
1,1,1,2-Tetrachloroethane	ND	ug/l	2.00	EPA 8260	
1,1,1-Trichloroethane	ND	ug/l	2.00	EPA 8260	
1,1,2,2-Tetrachloroethane	ND	ug/l	2.00	EPA 8260	
1,1,2-Trichloroethane	ND	ug/l	2.00	EPA 8260	
1,1-Dichloroethane	ND	ug/l	2.00	EPA 8260	
1,1-Dichloroethene	ND	ug/l	2.00	EPA 8260	
1,2,3-Trichloropropane	ND	ug/l	2.00	EPA 8260	
1,2,4-Trimethylbenzene	ND	ug/l	2.00	EPA 8260	
1,2-Dibromo-3-chloropropane	ND	ug/l	5.00	EPA 8260	
1,2-Dibromoethane (EDB)	ND	ug/l	2.00	EPA 8260	
1,2-Dichlorobenzene	ND	ug/l	2.00	EPA 8260	
trans-1,2-Dichloroethene	ND	ug/l	2.00	EPA 8260	
1,2-Dichloroethane	ND	ug/l	2.00	EPA 8260	
1,2-Dichloropropane	ND	ug/l	2.00	EPA 8260	
1,3,5-Trimethylbenzene	ND	ug/l	2.00	EPA 8260	
1,3-Dichlorobenzene	ND	ug/l	2.00	EPA 8260	
1,4-Dichlorobenzene	ND	ug/l	2.00	EPA 8260	
Acetone	ND	ug/l	10.0	EPA 8260	
Benzene	ND	ug/l	2.00	EPA 8260	
Bromochloromethane	ND	ug/l	2.00	EPA 8260	
Bromodichloromethane	ND	ug/l	2.00	EPA 8260	
Bromoform	ND	ug/l	2.00	EPA 8260	
1,1-Dichloropropene	ND	ug/l	2.00	EPA 8260	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04


ANALYTICAL RESULTS

Client Sample I.D.: Tile
AALI Sample I.D.: 0404080-02 (Water)

Analyte	Result	Units	Reporting		Notes
			Limit	Method	
Bromomethane	ND	ug/l	5.00	EPA 8260	
Chloroethane	ND	ug/l	2.00	EPA 8260	
Chloroform	ND	ug/l	2.00	EPA 8260	
Chloromethane	ND	ug/l	2.00	EPA 8260	
Ethylbenzene	ND	ug/l	2.00	EPA 8260	
Methyl ethyl ketone	ND	ug/l	10.0	EPA 8260	
Methylene chloride	ND	ug/l	5.00	EPA 8260	
Naphthalene	ND	ug/l	5.00	EPA 8260	
Styrene	ND	ug/l	2.00	EPA 8260	
tert-Butylbenzene	ND	ug/l	2.00	EPA 8260	
Tetrachloroethene	ND	ug/l	2.00	EPA 8260	
Toluene	ND	ug/l	2.00	EPA 8260	
trans-1,3-Dichloropropene	ND	ug/l	2.00	EPA 8260	
trans-1,4-Dichloro-2-butene	ND	ug/l	2.00	EPA 8260	
Trichloroethene	ND	ug/l	2.00	EPA 8260	
Trichlorofluoromethane	ND	ug/l	2.00	EPA 8260	
Xylenes (total)	ND	ug/l	2.00	EPA 8260	
2-Hexanone	ND	ug/l	5.00	EPA 8260	
2-Chloroethylvinyl ether	ND	ug/l	10.0	EPA 8260	
Carbon disulfide	ND	ug/l	2.00	EPA 8260	
Carbon tetrachloride	ND	ug/l	2.00	EPA 8260	
1,3-Dichloropropane	ND	ug/l	2.00	EPA 8260	
Chlorobenzene	ND	ug/l	2.00	EPA 8260	
cis-1,2-Dichloroethene	ND	ug/l	2.00	EPA 8260	
cis-1,3-Dichloropropene	ND	ug/l	2.00	EPA 8260	
Dibromochloromethane	ND	ug/l	2.00	EPA 8260	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04

ANALYTICAL RESULTS

Client Sample ID.: Tile
AALI Sample ID.: 0404080-02 (Water)

Analyte	Result	Units	Reporting		Notes
			Limit	Method	
Dibromomethane	ND	ug/l	2.00	EPA 8260	
Vinyl acetate	ND	ug/l	10.0	EPA 8260	
Vinyl chloride	ND	ug/l	2.00	EPA 8260	
2-Chlorotoluene	ND	ug/l	2.00	EPA 8260	
4-Chlorotoluene	ND	ug/l	2.00	EPA 8260	
4-Methyl-2-pentanone	ND	ug/l	5.00	EPA 8260	
Acrolein	ND	ug/l	100	EPA 8260	
Bromobenzene	ND	ug/l	2.00	EPA 8260	
Acrylonitrile	ND	ug/l	10.0	EPA 8260	
Dichlorodifluoromethane	ND	ug/l	2.00	EPA 8260	
Iodomethane	ND	ug/l	5.00	EPA 8260	
Isopropylbenzene	ND	ug/l	2.00	EPA 8260	
Methyl tert-butyl ether	ND	ug/l	5.00	EPA 8260	
n-Butylbenzene	ND	ug/l	2.00	EPA 8260	
n-Propylbenzene	ND	ug/l	2.00	EPA 8260	
p-Isopropyltoluene	ND	ug/l	2.00	EPA 8260	
sec-Butylbenzene	ND	ug/l	2.00	EPA 8260	
1,2,3-Trichlorobenzene	ND	ug/l	5.00	EPA 8260	
Surrogate: 1,2-Dichloroethane-d4	98 %		80-120		
Surrogate: Toluene-d8	102 %		80-120		
Surrogate: 4-Bromofluorobenzene	98 %		80-120		

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

L. Eve Karmitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04

ANALYTICAL RESULTS


Client Sample I.D.: Stream - Outgoing
AALI Sample I.D.: 0404080-03 (Water)

AA1 Sample ID: 0404080-03 (Water)		Reporting			
Analyte	Result	Units	Limit	Method	Notes
8260 VOC by GCMS					
	Date Collected: 4/16/04	Date Analyzed: 4/22/04			
1,1,1,2-Tetrachloroethane	ND	ug/l	2.00	EPA 8260	
1,1,1-Trichloroethane	ND	ug/l	2.00	EPA 8260	
1,1,2,2-Tetrachloroethane	ND	ug/l	2.00	EPA 8260	
1,1,2-Trichloroethane	ND	ug/l	2.00	EPA 8260	
1,1-Dichloroethane	ND	ug/l	2.00	EPA 8260	
1,1-Dichloroethene	ND	ug/l	2.00	EPA 8260	
1,2,3-Trichloropropane	ND	ug/l	2.00	EPA 8260	
1,2,4-Trimethylbenzene	ND	ug/l	2.00	EPA 8260	
1,2-Dibromo-3-chloropropane	ND	ug/l	5.00	EPA 8260	
1,2-Dibromoethane (EDB)	ND	ug/l	2.00	EPA 8260	
1,2-Dichlorobenzene	ND	ug/l	2.00	EPA 8260	
trans-1,2-Dichloroethene	ND	ug/l	2.00	EPA 8260	
1,2-Dichloroethane	ND	ug/l	2.00	EPA 8260	
1,2-Dichloropropane	ND	ug/l	2.00	EPA 8260	
1,3,5-Trimethylbenzene	ND	ug/l	2.00	EPA 8260	
1,3-Dichlorobenzene	ND	ug/l	2.00	EPA 8260	
1,4-Dichlorobenzene	ND	ug/l	2.00	EPA 8260	
Acetone	ND	ug/l	10.0	EPA 8260	
Benzene	ND	ug/l	2.00	EPA 8260	
Bromochloromethane	ND	ug/l	2.00	EPA 8260	
Bromodichloromethane	ND	ug/l	2.00	EPA 8260	
Bromoform	ND	ug/l	2.00	EPA 8260	
1,1-Dichloropropene	ND	ug/l	2.00	EPA 8260	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04


ANALYTICAL RESULTS

Client Sample I.D.: Stream - Outgoing
AALI Sample I.D.: 0404080-03 (Water)

Analyte	Result	Units	Reporting		Notes
			Limit	Method	
Bromomethane	ND	ug/l	5.00	EPA 8260	
Chloroethane	ND	ug/l	2.00	EPA 8260	
Chloroform	ND	ug/l	2.00	EPA 8260	
Chloromethane	ND	ug/l	2.00	EPA 8260	
Ethylbenzene	ND	ug/l	2.00	EPA 8260	
Methyl ethyl ketone	ND	ug/l	10.0	EPA 8260	
Methylene chloride	ND	ug/l	5.00	EPA 8260	
Naphthalene	ND	ug/l	5.00	EPA 8260	
Styrene	ND	ug/l	2.00	EPA 8260	
tert-Butylbenzene	ND	ug/l	2.00	EPA 8260	
Tetrachloroethene	ND	ug/l	2.00	EPA 8260	
Toluene	ND	ug/l	2.00	EPA 8260	
trans-1,3-Dichloropropene	ND	ug/l	2.00	EPA 8260	
trans-1,4-Dichloro-2-butene	ND	ug/l	2.00	EPA 8260	
Trichloroethene	ND	ug/l	2.00	EPA 8260	
Trichlorofluoromethane	ND	ug/l	2.00	EPA 8260	
Xylenes (total)	ND	ug/l	2.00	EPA 8260	
2-Hexanone	ND	ug/l	5.00	EPA 8260	
2-Chloroethylvinyl ether	ND	ug/l	10.0	EPA 8260	
Carbon disulfide	ND	ug/l	2.00	EPA 8260	
Carbon tetrachloride	ND	ug/l	2.00	EPA 8260	
1,3-Dichloropropane	ND	ug/l	2.00	EPA 8260	
Chlorobenzene	ND	ug/l	2.00	EPA 8260	
cis-1,2-Dichloroethene	ND	ug/l	2.00	EPA 8260	
cis-1,3-Dichloropropene	ND	ug/l	2.00	EPA 8260	
Dibromochloromethane	ND	ug/l	2.00	EPA 8260	

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04

ANALYTICAL RESULTS


Client Sample I.D.: Stream - Outgoing
AALI Sample I.D.: 0404080-03 (Water)

Analyte	Result	Units	Reporting		Notes
			Limit	Method	
Dibromomethane	ND	ug/l	2.00	EPA 8260	
Vinyl acetate	ND	ug/l	10.0	EPA 8260	
Vinyl chloride	ND	ug/l	2.00	EPA 8260	
2-Chlorotoluene	ND	ug/l	2.00	EPA 8260	
4-Chlorotoluene	ND	ug/l	2.00	EPA 8260	
4-Methyl-2-pentanone	ND	ug/l	5.00	EPA 8260	
Acrolein	ND	ug/l	100	EPA 8260	
Bromobenzene	ND	ug/l	2.00	EPA 8260	
Acrylonitrile	ND	ug/l	10.0	EPA 8260	
Dichlorodifluoromethane	ND	ug/l	2.00	EPA 8260	
Iodomethane	ND	ug/l	5.00	EPA 8260	
Isopropylbenzene	ND	ug/l	2.00	EPA 8260	
Methyl tert-butyl ether	ND	ug/l	5.00	EPA 8260	
n-Butylbenzene	ND	ug/l	2.00	EPA 8260	
n-Propylbenzene	ND	ug/l	2.00	EPA 8260	
p-Isopropyltoluene	ND	ug/l	2.00	EPA 8260	
sec-Butylbenzene	ND	ug/l	2.00	EPA 8260	
1,2,3-Trichlorobenzene	ND	ug/l	5.00	EPA 8260	
Surrogate 1,2-Dichloroethane-d4	100 %	80-120			
Surrogate Toluene-d8	100 %	80-120			
Surrogate 4-Bromofluorobenzene	99 %	80-120			

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

L. Eve Karnitis, President



ADVANCED ANALYTICS LABORATORIES, INC.

1025 CONCORD AVENUE

COLUMBUS, OHIO 43212

(614) 299-9922 FAX (614) 299-4002

Analysis & Testing - Quality Control Programs - Research & Development

Don Chapin
5960 Wilcox Place
Dublin, OH 43016

Project: Vandalia property
P.O. Number: [none]
Project Manager: Don Chapin

Date Received: 4/19/04
Date Reported: 4/29/04

Notes and Definitions

DEI Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

Advanced Analytics Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

L. Eve Karnitis, President